



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES—UNTABULATED.

CALIFORNIA—*Los Angeles*.—Month of October, 1909. Estimated population, 300,000. Total number of deaths 299, including diphtheria 1, measles 4, scarlet fever 1, typhoid fever 2, and 51 from tuberculosis. Cases: Diphtheria 23, measles 61, scarlet fever 40, typhoid fever 31, tuberculosis 64.

Stockton.—Month of October, 1909. Estimated population, 25,000. Total number of deaths, 22.

CONNECTICUT—*Stamford*.—Month of November, 1909. Estimated population, 24,000. Total number of deaths not reported. No deaths from contagious diseases. Cases: Diphtheria 10, measles 1, scarlet fever 19, whooping cough 5, and smallpox 1.

ILLINOIS—*Quincy*.—Month of November, 1909. Estimated population, 43,000. Total number of deaths 40, including diphtheria 2 and 3 from tuberculosis. Cases: Diphtheria 15, scarlet fever 1, and typhoid fever 2.

INDIANA—*Jeffersonville*.—Month of November, 1909. Estimated population, 12,000. Total number of deaths 20, including 1 from typhoid fever. Cases: Scarlet fever 1, typhoid fever 1.

South Bend.—Month of November, 1909. Estimated population, 80,000. Total number of deaths 79, including 11 from tuberculosis. Cases: Diphtheria 4, scarlet fever 16, smallpox 4, typhoid fever 6, tuberculosis 11.

IOWA—*Cedar Rapids*.—Month of November, 1909. Estimated population, 35,000. Total number of deaths 41, including diphtheria 2, typhoid fever 1, and tuberculosis 1. Cases: Diphtheria 3, scarlet fever 2.

KANSAS.—Month of September, 1909. Deaths from contagious diseases were reported as follows: Diphtheria 18, scarlet fever 4, typhoid fever 70, tuberculosis 60. Cases: Diphtheria 173, measles 24, scarlet fever 84, typhoid fever 320, smallpox 4, tuberculosis 278.

MARYLAND—*Hagerstown*.—Month of October, 1909. Estimated population 50,000. Total number of deaths 57, including typhoid fever 2, whooping cough 1, and tuberculosis 4. Cases: Diphtheria 11, scarlet fever 5, typhoid fever 24.

MASSACHUSETTS.—Week ended September 4, 1909. Estimated population of towns reporting 2,306,089. Total number of deaths 683, including diphtheria 4, typhoid fever 10, phthisis pulmonalis 44. Week ended September 11, 1909. Estimated population of towns reporting 2,365,783. Total number of deaths 720, including diphtheria 5, typhoid fever 10, phthisis pulmonalis 47.

Week ended September 18, 1909. Estimated population of towns reporting, 2,351,613. Total number of deaths, 711, including diph-

theria 2, measles 2, smallpox 1, typhoid fever 7, phthisis pulmonalis 60.

Week ended September 25, 1909. Estimated population of towns reporting, 2,355,921. Total number of deaths, 682, including diphtheria 8, typhoid fever 8, phthisis pulmonalis 39.

MICHIGAN.—Month of October, 1909. The Monthly Bulletin of Vital Statistics says:

There were 2,863 deaths returned to the department of state as having occurred during the month of October, 1909. This corresponds to an annual death rate of 12.7 per 1,000 estimated population. Reports were received from districts covering 2,497,911 persons, according to the last state census, or 98.73 per cent of the total registrable population of the State.

Important causes of death were as follows: Pulmonary tuberculosis 122, other forms of tuberculosis 24, typhoid fever 102, diphtheria and croup 41, scarlet fever 31, measles 3, and whooping cough 14.

Two deaths were reported from tetanus, 1 from the township of Paris, Huron County, and 1 from Armada Township, Macomb County. One death was returned from smallpox, occurring in the city of Grand Rapids.

MINNESOTA.—Month of July, 1909. Estimated population of cities and towns reporting, 1,751,000. Total number of deaths, 1,290, including diphtheria 26, measles 4, scarlet fever 20, smallpox 1, typhoid fever 12, whooping cough 13, and 157 from tuberculosis.

Month of August, 1909. Estimated population of cities and towns reporting, 1,979,658. Total number of deaths, 1,652, including diphtheria 29, scarlet fever 11, typhoid fever 22, whooping cough 24, and 168 from tuberculosis.

NEW HAMPSHIRE—*Franklin*.—Month of October, 1909. Estimated population, 7,200. Total number of deaths, 9. Cases: Diphtheria 2.

NEW YORK—*Perry*.—Month of October, 1909. Estimated population, 5,000. Total number of deaths, 7. Cases: Measles 60, scarlet fever 4, typhoid fever 1, tuberculosis 3.

NORTH CAROLINA—*Charlotte*.—Month of November, 1909. Estimated population, 45,455. Total number of deaths, 49, including typhoid fever 2, and 6 from tuberculosis.

OHIO—*Cleveland*.—Month of October, 1909. Estimated population, 515,000. Total number of deaths, 562, including diphtheria 9, scarlet fever 1, typhoid fever 7, whooping cough 2, and 48 from tuberculosis.

PENNSYLVANIA—*Altoona*.—Month of November, 1909. Estimated population, 60,000. Total number of deaths, 38, including typhoid fever 3. Cases: Diphtheria 5, scarlet fever 1, typhoid fever 5.

TEXAS—*San Antonio*.—Month of October, 1909. Estimated population, 100,000. Total number of deaths, 138, including whooping cough 1, and 22 from tuberculosis. Cases: Diphtheria 9, measles 1, smallpox 4, typhoid fever 15.

UTAH—*Salt Lake City*.—Month of September, 1909. Estimated population, 85,000. Total number of deaths, 101, including diphtheria 1, typhoid fever 6, and 5 from tuberculosis. Cases: Diphtheria 6, measles 1, scarlet fever 19, smallpox 9, typhoid fever 206, whooping cough 2, tuberculosis 5 (incomplete).

VIRGINIA—*Lynchburg*.—Month of November, 1909. Estimated population 30,050. Total number of deaths, 34, including typhoid fever 1 and tuberculosis 10.